

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
720	Ambrose Light	40 27 00 N 73 48 00 W	FI W 5s	77	18	Tower on red square worded AMBROSE.	Emergency light of reduced intensity when main light is extinguished. RACON: N (—•). HORN: 1 blast ev 15s (2s bl).
							* 12/00
13775	West Chop Light	41 28 48 N 70 36 00 W	Oc W 4s (R sector)	84	W 14 R 10	White conical tower.	Red from 281° to 331°, covers Squash Meadow and Norton Shoal. HORN: 1 blast ev 30s (3s bl).
					*		12/00
15560	Nobska Point Light	41 30 54 N 70 39 24 W	FI W 6s (R sector)	87	W 13 R 11	White tower.	Obscured from 125° to 195°. Red from 263° to 289°, covers Hedge Fence and L'Hommedieu Shoal. Lighted throughout 24 hours. Floodlighted sunset to sunrise. HORN: 2 blasts ev 30s (2s bl-2s si-2s bl-24s si).
					*		12/00
*17055	<i>Nye Ledge Lighted Bell Buoy 1</i>	41 37 00 N 70 46 12 W	FI G 4s		4	Green	Replaced by can from Dec. 1 to Apr 1.
							12/00
17060	- Approach Buoy 2					Red nun.	
	*					*	12/00
17065	- Approach Buoy 3					Green Can.	
	*					*	12/00
17075	- Approach Buoy 5					Green can.	
	*						12/00
17080	- Approach Buoy 6					Red nun.	
	*					*	12/00
17085	- Approach Buoy 7					Green can.	
	*					*	12/00
17090	- Approach Buoy 8					Red nun.	
	*						12/00
17100	- Buoy 10					Red nun.	
	*						12/00
	*Delete Heading: *Sippican Harbor						
17111	<i>Nye Ledge Lighted Bell Buoy 13</i>						<i>Remove from list.</i>
							* 12/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Sippican Harbor							
17115	- Lighted Buoy 2 Off southwest side of shoal.	41 39 42 N 70 43 36 W	FI R 4s		4	Red.	Replaced by nun from Dec. 1 to Apr. 1.
							12/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Delete Note: Aberdeen Restricted Area <i>*Buoys maintained from Jun. 5 to Oct. 1.</i>							
8705 27290	- Buoy A					Yellow can.	
							12/00
Curtis Bay <i>Buoys located 75 feet outside channel limit.</i>							
20860	- Entrance Channel Lighted Buoy 1CB	39 13 12 N 76 32 06 W	Q G		4	Green.	
	*						12/00
Irish Creek							
25505	- Buoy 1	38 40 54 N 76 13 36 W				Green can.	
		*					12/00
HEAD OF CHESAPEAKE BAY (Chart 12274) Gunpowder River							
27175	- Lighted Buoy 2G		FI R 4s		3	Red.	Replaced by nun from Dec. 1 to Apr. 1.
							* 12/00
27185	- Lighted Buoy 4		FI R 4s		3	Red.	Replaced by nun from Dec.1 to Apr. 1.
							* 12/00
27290 8705	Aberdeen Restricted Area Buoy A	39 16 48 N 76 17 12 W				Yellow can.	
							* 12/00
27295 8710	Aberdeen Restricted Area Buoy B					Yellow can.	
							* 12/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Spesutie Narrows							
Aberdeen Proving Ground Channel							
27520	- Lighted Buoy 2		FI R 2.5s		5	Red.	Replaced by unlighted ice buoy from Nov. 25 to Apr. 10.
					*		12/00
27810	Perry Point Warning Buoy	39 32 48 N 76 04 24 W				White can with orange bands and orange diamond worded SUBMERGED PILES.	
		*					12/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
555	CUMBERLAND ISLAND LIGHT						Remove from list.
							* 12/00
7760	PINEY POINT LIGHT 7	30 13 18 N 81 39 06 W	FI G 2.5s	16	3	SG on pile.	
		*					12/00
*31335.1	- North Channel Lighted Buoy 6	18 17 24 N 65 37 54 W	Q R			Red.	Private aid.
							12/00
*31335.2	- North Channel Lighted Bouy 7	18 17 24 N 65 38 00 W	Q G			Green.	Private aid.
							12/00
32200	GUANICA LIGHT						Remove from list.
							* 12/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
4180	- RANGE REAR LIGHT 1,885 yards, 031.8° from front light.		Iso W 6s Iso G 6s	64 67		Skeleton tower on piles.	Visible 2° each side of rangeline. Lighted throughout 24 hours.
			*				12/00
5390	- LIGHT 72 200 feet outside channel limit.		FI R 2.5s	17	4	TR on pile.	Ra ref.
					*		12/00
*5777	Klondike Fishing Reef Daybeacons (8)	30 27 24 N 87 56 06 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 150 ft. square fishing reef. Private aid.
							12/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*Add Heading: *Mobile Bay							
*5832	Battles Warf Fishing Reef Daybeacons (2)	30 29 42 N 87 56 00 W		8		NW on piles worded DANGER FISHING REEFS.	Marks perimeter 150ft. square fishing reef. Private aid. 12/00
*5892	Upper Bay Barge Fishing Reef Daybeacons (5)	30 34 42 N 87 56 54 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 150ft. square fishing reef. Private aid. 12/00
*6102	Sand Reef Oyster Fishing Reef Daybeacon (5)	30 16 12 N 88 05 48 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 150ft. square fishing reef. Private aid. 12/00
*6112	West-Side Fishing Reef Daybeacons (5)	30 20 36 N 88 03 54 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 150ft. square fishing reef. Private aid. 12/00
*6397	Hollinger Island Fishing Reef Daybeacons (5)	30 32 06 N 88 03 12 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks Perimeter of 150ft. square fishing reef. Private aid. 12/00
*6542	Brookley Hole Site Fishing Reef Daybeacons (2)	30 37 42 N 88 03 24 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 150ft. square fishing reef. Private aid. 12/00
*Add Heading: *Arlington Channel							
*6543	Arlington Docks Site Fishing Reef Daybeacons (4)	30 38 30 N 88 02 30 W				NW on pile worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 100ft. square fishing reef. Private aid. 12/00
*Delete Heading: *Arlington Channel							
6545 5440	- Lighted Buoy 1 60 feet outside channel limit.	30 38 24 N 88 02 00 W	FI G 2.5s			Green.	 12/00
*6617	Choctaw Pass Fishing Reef Daybeacons (4)	30 39 48 N 88 01 12 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks Perimeter 300 x 150ft. fishing reef. Private aid. 12/00
*6641	Sunken Shrimboat Fishing Reef Daybeacons (5)	30 18 18 N 88 16 24 W		8		NW on piles worded DANGER SUBMERGED FISHING REEFS.	Marks perimeter 150ft. square fishing reef. Private aid. 12/00
17930	- Lighted Buoy 11	29 14 42 N 91 29 48 W	FI G 4s		4	Green.	 12/00
					*		12/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
25980	- Lighted Buoy 2 250 feet outside channel limit.	28 23 42 N 96 17 36 W	FI (2) R 5s 0.4s fl 0.6s ec. 0.4s fl 3.6s ec.		4	Red.	
	*						12/00
25990	- Lighted Buoy 4 250 feet outside channel limit.	28 24 18 N 96 18 12 W	FI R 2.5s		4	Red.	
	*						12/00
26000	- Lighted Bell Buoy 8 250 feet outside channel limit.	28 24 54 N 96 18 48 W	Q R		4	Red.	
	*						12/00
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
3150	— LIGHT 10		F R	10		Red iron post on concrete pier.	Private aid.
					*		12/00
8920	- LIGHT 17	43 24 18 N 124 16 48 W	FI G 4s	17	3	SG on dolphin.	
		*					12/00
*14978	Toe Island Lighted Buoy 1	45 29 00 N 122 40 06 W	FI G 4s		3	Green.	
							12/00
WILLAMETTE RIVER (Portland to Newberg) (Chart 18528)							
Elk Rock							
15000	- Buoy 6	45 26 30 N 122 38 48 W				Red nun.	
	*						12/00
*15003	- Bouy 8	45 26 24 N 122 38 48 W				Red nun.	
							12/00
15005	- Buoy 10 Marks edge of rock ledge.	45 26 18 N 122 38 54 W				Red nun.	
		*					12/00
15010	- Buoy 12	45 26 18 N 122 38 54 W				Red nun.	
	*						12/00
15025	- ISLAND LIGHT 13	45 26 12 N 122 39 00 W	FI G 4s	35	4	SG on skeleton tower.	
	*						12/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 1999							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
15040	Oswego Rock Daybeacon	42 24 42 N 122 39 30 W				NW on pile structure worded DANGER ROCKS.	
	*	*				*	12/00
	Olympia Harbor						
17405	OLYMPIA SHOAL LIGHT	47 05 30 N 122 55 18 W	Q W	25	8	NB on skeleton tower.	HORN: 1 blast ev 30s (3s bl).
		*					12/00
17745	PORT GAMBLE LIGHT 1	47 51 42 N 122 34 36 W	FI G 4s	15	3	SG on dolphin.	
		*					12/00

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceeding the station number.